



We Save
your Precious



Bililed Maxi+

Overhead Phototherapy System





We Save
your Precious



Novos offers a new advanced phototherapy with 50,000 hours of LED lifetime and extended effective surface area. NOVOS Bililed Maxi+ high intensity phototherapy treats infants with hyperbilirubinemia with its excellent performance.

Optimum Wavelength

Blue Super LEDs used in Bililed Maxi+ emits light between 440–460nm region thus bilirubin breakdown is maximized with the most effective wavelength range for jaundice treatment. (Neonatal hyperbilirubinaemia, A. Ramachandran, Paediatrics And Child Health, 2016.)

Examination Lamp


Powerful examination lamps provide full visibility of the newborn and also vantouses provide stabilization on the top of infant incubator canopy



Examination Lamp

Uniform Light Distribution

16 pcs super LEDs in Bililed Maxi+ provides uniform light distribution over the infants whole body surface area.



Super LEDs of Bililed Maxi+

User Friendly Design

Bililed Maxi+ has an ergonomic design with its detachable and lightweight head unit and functional mobile stand.


- Adjustable head
- Easy maneuverability of casters

Extended Effective Surface Area

Bililed Maxi+ provides an extended effective surface area to cover whole body surface of even active term infants.



Bililed Maxi+ with KI 1000



Surface Area of Bililed Maxi+






We Save
your Precious



Jaundice Treatment with Adjustable Light Intensity

For phototherapy treatment, there is a direct relationship between light intensity and the rate of total bilirubin concentration decrease. Biled Maxi+ ensures more than $70 \mu\text{W}/\text{cm}^2/\text{nm}$ (5 levels) irradiance at 35 cm distance with 16 pcs super LEDs. Light intensity is adjustable at 5 different levels according to each patient's need. (Neonatal hyperbilirubinaemia, A. Ramachandran, Paediatrics And Child Health, 2016)

Surface Area of Biled Maxi+





We Save
your Precious



Bililed Maxi+ with Mobile Stand

Hydraulic height adjustment, casters with brakes, detachable and lightweight head unit provide durable, easy maneuverability and great convenience during the usage.



Cost Effective Light Technology

Bililed Maxi+ LED ensures **50.000 hours** of operation which is 25 times longer than conventional fluorescent tubes. Replacement costs are apparently decreased on Bililed Maxi+.



2.5 inches monochrome LCD



Technical Specifications

Dimensions

Width _____	224 mm
Depth _____	82 mm
Height _____	528.5 mm
Mobile Stand Height (min-max)	1008–1721 mm

Characteristics

Screen _____	2.5 inches monocolor LCD
Lamp Type _____	16 pcs Blue Super LED lamps
Examination Lamps _____	4 pcs White LED lamps
Lamp Life Time _____	50.000 hours
Intensity _____	35–110 $\mu\text{W}/\text{cm}^2/\text{nm}$ (adjustable 5 levels)
Wavelength _____	440–460 nm
Effective Irradiance Area _____	54 x 32 cm
Supply Voltage _____	100–240 VAC
Power Adapter _____	24VDC , 1.5A

Environmental Requirements

Operating Temperature Range	+20°C to +30°C
Storage Temperature Range	-20°C to +60°C
Operating Humidity Range	5 % to 95 % RH, non-condensing
Storage Humidity Range	5 % to 95 % RH, non-condensing

Proven quality and 100 % customer satisfaction. Having a very strict quality policy brought us 100 percent customer satisfaction. Novos will continue to design and manufacture high quality products for newborn care; all you have to do is just focusing on your patients.

NOVOS Medical reserves the right to make changes without notice in design, specifications and models. The quality management system at NOVOS Medical Systems is certified according to ISO 13485 and product is certified in accordance with Medical Device Directive (93/42/EEC)

Novos Tıbbi Cihazlar Sanayi Ticaret İthalat Ve İhracat Limited Şirketi
İvedikosb Mahallesi 1518. Cad. Matbaacılar Sitesi Sit. No: 2/39 Yenimahalle, Ankara, Turkey
Tel: +90 312 384 15 88
Fax: +90 312 384 15 98

Order List / Standart Accessories

Bililed Maxi+
Power Adapter
Eye protection mask small
Eye protection mask medium
Eye protection mask large
Vantouse
User Manual

Optional

Mobile Stand
Eye protection mask small
Eye protection mask medium
Eye protection mask large